

Efficient, robust analyses through capillary electrophoresis.

Anion and Cation Analysis Kits

Now sold through SCIEX Separations www.sciex.com/ce



When capillary electrophoresis (CE) was first introduced, it was seen as a revolutionary technique. Now, it is fulfilling a role as a wellestablished technique in analytical laboratories worldwide. CE offers highly efficient separations, short analysis times, and minimal solvent and reagent consumption, when compared with other separation techniques. In fact, CE should be considered first when dealing with highly polar, charged or chiral analytes.

Anions and cations (eg. organic acids and aliphatic amines) are charged polar species that lend themselves well to the CE format. The most robust ion analysis CE methods use bare fused-silica capillaries with a dynamic coating technology to modulate the electroosmotic flow. Since many small molecules do not absorb UV light, the primary mode of detection is indirect, in which a UV-absorbing chromophore is added to the background electrolyte, the displacement of which provides the basis for detection.

Whether you apply capillary electrophoresis to counter-ion, beverage or industrial applications, you will find that CE with our ion analysis kits provides robust analyses even when handling diverse sample matrices. Only a small sample amount is needed and generally little sample preparation is required. Separations are fast and efficient. Typical advantages of our ion kits include routine detection of more ions, shorter run times, and less sample preparation time prior to each analysis. These kits are generic in nature, resulting in less method development time, which improves the economy of ion application solutions.


In the discovery phase of pharmaceutical development, one of the most important pieces of data is the correct assignment of molecular mass to the compound to be tested. The formula weight of most drugs cannot be accurately determined without first quantifying the drug counter-ion. Basic drugs may have an inorganic salt or organic acid as counterions, whereas acidic drugs may have a metal cation. Regulatory agencies like the U.S. Food and Drug Administration (FDA) and European Medicines Agency (EMEA) require that the active and inactive ingredients of pharmaceutical products be tested for identity, strength, quality and purity. Hence, counter-ion analysis is an important part of the purity determination of a drug.

Our kits allow the analysis of compounds over a wide range of polarities, and compound libraries can be processed for counter-ion content in the absence of solubility data.


Our Anion and Cation Analysis Kits are specifically formulated for P/ACE MDQ CE systems configured with a UV detector.

Ion Analysis for Capillary Electrophoresis


Organic Anions Test Mixture




Inorganic Anions Test Mixture



Cations Test Mixture



Our ion analysis test kits are designed for ion concentrations in the 1-100 ppm range. Sensitivities below that are possible under special conditions only. Typically a %CV of 1% or less is expected for migration time. The Beckman Coulter Ion Analysis Kits contain the supplies necessary for separation and quantitation of cations, using the P/ACE MDQ Capillary Electrophoresis system. Each kit yields approximately 500 tests.



Analysis of inorganic ions and organic acids.

Component Anion Coating Anion Separation Buffer Conditioner — Na Anion Acid Rinse Anion Internal Standard Anion Organic Test Mix Anion Inorganic Test Mix Capillary, 50 cm, 75 im I.D. Rinse Solution

Cation Analysis Kit (A53540)

Analysis of small inorganic cations and aliphatic amines.

Component

Cation Coating A Cation Coating B Cation Separation Buffer Conditioner — Na Conditioner — Li Cation Internal Standard Cation Test Mix Capillary, 50 cm, 75 im I.D. Rinse Solution Ion Analysis Insert





A P/ACE MDQ CE system with liquid capillary cooling and UV detection is recommended for ion analysis with our dynamic coating kits. The P/ACE MDQ CE system comes with a variety of sampling formats, including a 96-well plate, which allows this system to be

compatible with many forms of laboratory automation. The P/ ACE MDQ can also be used for chiral analysis, basic drugs, pKa determination, nucleic acid purity analysis and more.

For Research Use Only. Not for use in diagnostic procedures.

© 2014 AB SCIEX. SCIEX is part of AB Sciex. The trademarks mentioned herein are the property of AB Sciex Pte. Ltd. or their respective owners. AB SCIEXTM is being used under license.



View SCIEX products at www.sciex.com Find your local office at www.sciex.com/offices AB SCIEX Headquarters 500 Old Connecticut Path | Framingham, MA 01701 USA Phone 508-383-7700 www.absciex.com